



A Sysmex Group Company

# Myeloid Fusion Panel

## **Features**

## Developed in partnership with myeloid cancer experts to the latest WHO guidance

 Combining expert-led panel design with hybridization-based enrichment for unparalleled uniformity and depth of coverage

#### RNA-based, partner gene agnostic panel

• Detect 30 common myeloid fusions plus novel fusion partners in a single cost-efficient assay

#### Full assay and software solution

 Streamlined library prep and intuitive, complimentary data analysis software all backed up by OGT's expert support

#### **Myeloid Fusion Panel**

#### Introduction

Fusion genes, hybrid genes formed from two previously independent genes, are implicated in a wide range of cancers — particularly myeloid cancers. Research has revealed the presence of fusion genes in ~41% of acute myeloid leukaemia (AML) and 29% of acute lymphoblastic leukaemia (ALL) cases<sup>1,2</sup>.

Traditional methods to detect fusion genes include fluorescence *in situ* hybridization (FISH) and reverse transcription polymerase chain reaction (RT-PCR). More recently, next-generation sequencing (NGS) has emerged as a key method for fusion gene identification and characterisation. This technique, unlike FISH, can simultaneously detect multiple fusion genes in a single assay. Furthermore, hybridization-based NGS assays, such as the SureSeq<sup>™</sup> Myeloid Fusion Panel, can identify novel fusion partners — providing more comprehensive and informative analyzes than possible using PCR-driven methods.


#### Expert-led, evidence-based content

The RNA-based SureSeq Myeloid Fusion Panel has been designed in collaboration with leading myeloid cancer experts and has been informed by the latest WHO guidance to include clinically relevant fusions in AML<sup>3</sup>. The panel further enables the identification of gene expression changes in *MECOM*, supporting the identification of *GATA2-MECOM* (inv(3)(q21.3q26.2) and *RPN1-MECOM* (inv(3)(q21q26).

SureSeq Myeloid Fusion Panel				
<b>RBM15</b> -MKL1	<b>KMT2A</b> -ELL	<i>FUS-ERG</i>	FGFR1-ZMYM2	
t(1;22)(p13.3;q13.3)	t(11;19)(q23;p13.1)	t(16;21)(p11.2;q22.2)	t(8;13)(p11;q12)	
GATA2- <b>MECOM</b> (GATA2-EVI1) inv(3)(q21.3q26.2) **via MECOM overexpression**	<b>KMT2A</b> -MLLT1 (ENL) t(11;19)(q23;p13.3)	<b>СВFB-</b> МҮН11 inv(16)(p13.1q22)	FIP1L1- <b>PDGFRA</b> del(4)(q12q12)	
<i>RPN1-<b>MECOM</b> (RPN1-EVI1)</i> inv(3)(q21q26) **via <i>MECOM</i> overexpression**	<b>KMT2A</b> -AF6 (MLLT4; AFDN) t(6;11)(q27;q23)	<b>RUNX1</b> -RUNX1T1 (AML1-ETO) t(8;21)(q22;q22.1)	<b>PDGFRB</b> -EBF <b>1</b> del(5)(q32q33)	
DEK- <b>NUP214</b> (DEK-CAN)	<b>KMT2A</b> -MLLT11	ETV6- <b>RUNX1</b> ( <i>TEL-AML1</i> )	<b>PDGFRB</b> -TNIP1	
t(6;9)(p23;q34.1)	t(1;11)(q21;q23)	t(12;21)(p13;q22)	t(5;5)(q32;q33)	
<b>NUP98</b> -NSD1	<i>KMT2A-NEBL</i>	<b>RUNX1-MECOM</b> (AML1-EV1L)	<b>PDGFRB</b> -ATF7IP	
t(5;11)(q35.2;p15.4)	t(10;11)(p12;q23)	t(3;21)(q26.2;q22)	t(5;12)(q33;p13)	
<b>NUP98</b> -HOXA9	<b>PML</b> -RARα	<b>BCR</b> -ABL1	<b>PDGFRB-</b> ETV6	
t(7;11)(p15.4;p15.2)	t(15;17)(q24;q21)	t(9;22)(q34.1;q11.2)	t(5;12)(q33;p13)	
<b>PICALM-</b> MLLT10	KAT6A- <b>CREBBP</b>	NPM1- <b>MLF1</b>		
t(10;11)(p12.3;q14.2)	t(8;16)(p11.2;p13.3)	t(3;5)(q25.1;q35.1)		
<b>KMT2A</b> -MLLT3 (AF9)	<i>PCM</i> 1- <b>JAK2</b>	<b>FGFR1-BCR</b>		
t(9;11)(p21.3;q23.3)	t(8;9)(p22;p24)	t(8;22)(p11;q11)		

Table 1: The SureSeq Myeloid Fusion Panel allows identification of 30 of the most clinically-relevant fusions implicated in AML. Specific gene targeting (bold text) allows accurate partner gene agnostic identification of fusion genes.

### **Myeloid Fusion Panel**






Figure 1: Consistent and confident detection of *MECOM* overexpression in A serial dilutions of HNT-34 cell line as well as B research and commercial samples, including positive and negative controls. *MECOM* expression is normalised to the expression of housekeeping genes and expression values are calculated as counts per million (CPM). 'Research (+)' refers to research sample containing *GATA2-MECOM* (inv(3)(q21.3q26.2)). 'Commercial (+)' refers to Universal Human Reference RNA (UHRR) used as positive control. 'Research (-)' refers to blood extracted RNA with no *GATA2-MECOM* (inv(3)(q21.3q26.2)). 'Commercial (-)' refers to normal human lymphocyte RNA used as negative control. Error bars represent standard deviation.

#### 3

## **Myeloid Fusion Panel**

#### Partner gene-agnostic fusion detection

By harnessing RNA-based partner gene agnostic technology you can simultaneously interrogate baited target fusions, including driver genes with multiple fusion partners (i.e. *KMT2A*). Together, with the ability to identify novel and/or rare fusions, this panel fully supports your research into myeloid cancer classification and progression. This unique approach further serves to minimize the panel size, lowering sequencing costs and enabling increased depth of coverage for more sensitive results.




Figure 2: Interpret, OGT's complementary analysis software, enables identification of ( A B ) canonical fusions such as *KMT2A-AFDN (MLLT4)* and *KMT2A-MLLT6* emphasising the partner gene agnostic capability for fusion detection.

#### **Myeloid Fusion Panel**

#### A streamlined solution

The SureSeq Myeloid Fusion Complete NGS Workflow Solution V2 is an RNA-based assay, which allows sensitive and more cost-efficient identification of fusion genes than alternative DNA-based panel designs. Only transcriptionally expressed and therefore more clinically relevant gene fusions are analyzed.

All SureSeq panels utilise hybridization-based enrichment, which, when combined with OGT's intelligent probe design, offers highly uniform coverage for sensitive and reliable results.

Two kit sizes are available, offering the facility to analyze either 24 or 96 samples, with multiplexing of up to 24 samples in a single MiSeq<sup>®</sup> sequencing run. The streamlined workflow, which utilises the industry-standard Universal NGS Workflow Solution, incorporates Unique Dual Indexes (UDI) prior to sample amplification to support accurate sample demultiplexing for highly robust and reliable results (Figure 3).




Figure 3: The fully optimized SureSeq Myeloid Fusion Complete NGS Workflow Solution V2 minimises hands-on time and provides all the reagents required to go from purified RNA to sequence-ready libraries.

## **Myeloid Fusion Panel**

#### **Complimentary analysis software**

Included as standard with all SureSeq panels, Interpret NGS Analysis Software, OGT's powerful and easy-to-use NGS data analysis solution, delivers comprehensive identification of fusion genes, including novel fusions (Figure 4). The software allows you to easily visualize fusion genes detected, focus in on breakpoints, the number of reads spanning each breakpoint and alignment of sequence reads at nucleotide resolution — for complete confidence in results. In addition, the software reports normalised gene expression levels related to *MECOM* rearrangements, plus all data files are available for further downstream analysis.

Protocol Filter:	All Variants							
								Show >
		144	Page 1 of 1 (1 - 8 of	f 8) 🕨 🙌 Page Siz	te: 10 🗸 🛛 🕸 Actions 🗸 🛛 🗹			
Sample	Donor Gene T	Recipient Gene 🕇	Donor Chromosome <b>T</b>	Donor Breakpoint T	Recipient Chromosome <b>T</b>	Recipient Breakpoint T	Supporting Reads T	Canonical? T
2-100pc-Rep1	BCR	KLF12	22	23181022	13	74134053		Non-canonical
2-100pc-Rep1	MECOM	MECOM	3	169381314	3	169381314		Canonical
2-100pc-Rep1	BCR	CCDC88A/ENSG00000240401	22	23273081	2	55294684	10	Non-canonical
2-100pc-Rep1	BCR	ABL1	22	23290413	9	130854064	1796	Canonical
2-100pc-Rep1	BCR	ABL1	22	23289596	9	130854112	110	Canonical
2-100pc-Rep1	NUP214	XKR3	9	131198751	22	16807764	5	Non-canonical
2-100pc-Rep1	NUP214	XKR3	9	131199015	22	16808083	826	Non-canonical
	TERC	ASMTL	3	196058354	x	1435138	8	Non-canonical
200 bp	23.290,300 bp	chr22:23,290,163-23,290,663 23,290,400 bp 23,290	20,500 bp 23.290,500 t				130.854,200 bp	130,854,300
ntal Duplication								- 1
2-100pc-Rep1 Align	ment							0
	-100pc-Rep1 -100pc	100pc-Rep1     BCR       100pc-Rep1     MECOM       100pc-Rep1     BCR       100pc-Rep1     BCR       100pc-Rep1     BCR       100pc-Rep1     BCR       100pc-Rep1     BCR       100pc-Rep1     NUP214       100pc-Rep1     TFRC       chr6     ✓       s12     s112       s12     s112	IOOpc-Rep1     BCR     KLF12       100pc-Rep1     MECOM     MECOM       100pc-Rep1     BCR     CCDC88A/EN5G0000240401       100pc-Rep1     BCR     ABL1       100pc-Rep1     BCR     ABL1       100pc-Rep1     BCR     ABL1       100pc-Rep1     BCR     ABL1       100pc-Rep1     NUP214     XKR3       100pc-Rep1     NUP214     XKR3       100pc-Rep1     TFRC     ASMTL	100pc-Rep1     BCR     KLF12     22       100pc-Rep1     MECOM     MECOM     3       100pc-Rep1     BCR     CCDC88A/ENS60000240401     22       100pc-Rep1     BCR     ABL1     22       100pc-Rep1     BCR     ABL1     22       100pc-Rep1     BCR     ABL1     22       100pc-Rep1     NUP214     XKR3     9       100pc-Rep1     NUP214     XKR3     9       100pc-Rep1     NUP214     XKR3     9       100pc-Rep1     TFRC     ASMTL     3       chr6      Locus Search     Q 501 bp       #12     #12     #12     191.2     192.2     #13.1     192.2     #13.0       al Duplication     23.200,000 bp     23.200,000 bp	100pc-Rep1     BCR     KLF12     22     23181022       100pc-Rep1     MECOM     3     163381314       100pc-Rep1     BCR     CCDC68A/ENSG0000024001     22     23273061       100pc-Rep1     BCR     ADL1     22     23280556       100pc-Rep1     BCR     ABL1     22     23280556       100pc-Rep1     BCR     ABL1     22     23280556       100pc-Rep1     NUP214     XKR3     9     131198751       100pc-Rep1     NUP214     XKR3     9     131198015       100pc-Rep1     NUP214     XKR3     9     131198015       100pc-Rep1     TFRC     ASMTL     3     196058354       chr6     Locus Search     Q 5015p      123200000 bp     12320000 bp     12320000 bp     1232000 bp     1002       atDuplication     atDuplication     23200,000 bp     23200,000 bp     23200,000 bp     1000     1000	HODPC-Rep1     BCR     KLF12     22     23181022     13       100pc-Rep1     MECOM     3     169381314     3     1       100pc-Rep1     BCR     CCDC88A/EN5G000020401     22     23273081     2       100pc-Rep1     BCR     CCDC88A/EN5G000020401     22     23273081     2       100pc-Rep1     BCR     AUL1     22     23289596     9       100pc-Rep1     BCR     ABL1     22     23289596     9       100pc-Rep1     NUP214     XKR3     9     1311990751     22       100pc-Rep1     NUP214     XKR3     9     1311990755     22       100pc-Rep1     TFRC     ASMTL     3     196058354     X       enf     Locus Search     Q 501 bp     100     100     100     100     100     100     100     100.851.000 bp     100.	HODpc-Rep1     BCR     KLF12     22     23181022     13     74134053       100pc-Rep1     MECOM     MECOM     3     169391314     3     169391314       100pc-Rep1     MECM     CCDC88A/ENSG000024001     22     23273081     2     55294684       100pc-Rep1     BCR     CCDC88A/ENSG000024001     22     23273081     2     55294684       100pc-Rep1     BCR     ABL1     22     23289596     9     13005412       100pc-Rep1     BCR     ABL1     22     23289596     9     130054112       100pc-Rep1     NUP214     XKR3     9     131190751     22     168070764       100pc-Rep1     NUP214     XKR3     9     131190751     22     16808083       100pc-Rep1     TFRC     ASMTL     3     196058354     X     1435138       enf     p12     p12     p12     p12     p13     102     103       p12     p12     p12     p12     p12     p13     102     103 <td>BCR KLF12 22 23181022 13 74134053 5   100pc-Rep1 MECOM MECOM 3 169381314 3 169381314   100pc-Rep1 MECM MECOM 3 169381314 3 169381314   100pc-Rep1 MECM Autit 22 23273081 2 55294684 10   100pc-Rep1 BCR CCDC88A/ENSG00000240401 22 23273081 2 55294684 10   100pc-Rep1 BCR Autit 22 23289596 9 130054064 1796   100pc-Rep1 NUP214 XKR3 9 131199751 22 16807764 5   100pc-Rep1 NUP214 XKR3 9 131199751 22 16807764 5   100pc-Rep1 TFRC ASMTL 3 196058354 X 1435138 8   enf Locus Search Q 501 bp Currer Calor Track Labels 0 3131 0 31</td>	BCR KLF12 22 23181022 13 74134053 5   100pc-Rep1 MECOM MECOM 3 169381314 3 169381314   100pc-Rep1 MECM MECOM 3 169381314 3 169381314   100pc-Rep1 MECM Autit 22 23273081 2 55294684 10   100pc-Rep1 BCR CCDC88A/ENSG00000240401 22 23273081 2 55294684 10   100pc-Rep1 BCR Autit 22 23289596 9 130054064 1796   100pc-Rep1 NUP214 XKR3 9 131199751 22 16807764 5   100pc-Rep1 NUP214 XKR3 9 131199751 22 16807764 5   100pc-Rep1 TFRC ASMTL 3 196058354 X 1435138 8   enf Locus Search Q 501 bp Currer Calor Track Labels 0 3131 0 31

Figure 4: Interpret, OGT's complimentary analysis software, enables identification of canonical fusions such as BCR-ABL1 in K562 cell line.

**Myeloid Fusion Panel** 

### Our range of innovative NGS myeloid malignancy solutions

Browse our full range of myeloid panels, including the focused three-gene SureSeq Core MPN Panel and the SureSeq Pan-Myeloid Panel, incorporating key variants in 70 genes implicated in a wide range of myeloid disorders. In addition, the SureSeq Myeloid MRD Panel enables detection of of low-frequency variants down to 0.05% VAF with confidence, even in challenging biomarkers.

## SureSeq Myeloid Fusion Panel: technical information

Feature	Specification	
Capabilities	Fusion and MECOM expression detection	
Number of Fusions	30	
Panel Size	61 kb	
RNA input recommended	200–500 ng good quality RNA (RIN ≥7)	
Sample Source	Whole blood, bone marrow extracted RNA	

Request a quote at www.ogt.com or contact one of our experts at contact@ogt.com.

## **Ordering information**

UK +44 (0) 1865 856800 US +1 914 467 5285 contact@ogt.com ogt.com

Product	Contents	Cat. No.
SureSeq Myeloid Fusion Complete NGS Workflow Solution V2 (24)	Enrichment baits sufficient for 3 x 8-sample pools. Bundle of 1 x Double-Stranded cDNA Synthesis Kit (24). 1 x Universal Library Preparation Kit (24) containing PCR primers and enzymes. 1 x Universal Hybridization & Wash Kit V2 (24). 1 x Pre-PCR Universal Bead Kit (24). 1 x Post-PCR Universal Bead Kit (24). 1 x Universal Index Adapter Kit (24). Interpret NGS Analysis Software	890001-24
SureSeq Myeloid Fusion Complete NGS Workflow Solution V2 (96)	Enrichment baits sufficient for 12 x 8-sample pools. Bundle of 1 x Double-Stranded cDNA Synthesis Kit (96). 1 x Universal Library Preparation Kit (96) containing PCR primers and enzymes. 1 x Universal Hybridization & Wash Kit V2 (96). 1 x Pre-PCR Universal Bead Kit (96). 1 x Post-PCR Universal Bead Kit (96). 1 x Universal Index Adapter Kit (96). Interpret NGS Analysis Software	890001-96
SureSeq Myeloid Fusion Panel (24)	Enrichment baits sufficient for 3 x 8-sample pools. Interpret NGS Analysis Software	880001-24
SureSeq Myeloid Fusion Panel (96)	Enrichment baits sufficient for 12 x 8-sample pools. Interpret NGS Analysis Software	880001-96
SureSeq Double-Stranded cDNA Synthesis Kit (24)	Kit for conversion of 24 RNA samples to cDNA samples	880500-24
SureSeq Double-Stranded cDNA Synthesis Kit (96)	Kit for conversion of 96 RNA samples to cDNA samples	880500-96
Universal NGS Workflow Solution V2 (24)	Bundle of 1 x Universal Library Preparation Kit (24) containing, PCR primers and enzymes, 1 x Universal Hybridization & Wash Kit V2 (24). Pre-PCR Universal Bead Kit (24). Post-PCR Universal Bead Kit (24). 1 x Universal Index Adapter Kit (24)	770510-24
Universal NGS Workflow Solution V2 (96)	Bundle of 1 x Universal Library Preparation Kit (96) containing, PCR primers and enzymes, 1 x Universal Hybridization & Wash Kit V2 (96). Pre-PCR Universal Bead Kit (96). Post-PCR Universal Bead Kit (96). 1 x Universal Index Adapter Kit (96)	770510-96

#### References

- 1. Chen et al. Leuk Res. 2018;72:99-104.
- 2. Chen et al. Leuk Lymphoma 2019;60:1071-8.
- 3. Khoury et al. Leuk 2022;36:1703-19.



A Sysmex Group Company

# What binds us, makes us.

#### Oxford Gene Technology Inc., 520 White Plains Road, Suite 500, Tarrytown, NY 10591, USA



